

Embedded Vortices

Leadbeater and Besant Occult Chemistry 1895 to 1933.

THIS work contains a record of clairvoyant investigations into the structure of matter. The observations were carried out at intervals over a period of nearly forty years, the first in August 1895 and the last in October 1933. The two investigators, Annie Besant (1847-1933) and C. W. Leadbeater (1847-1934) were trained clairvoyants and well equipped to check and supplement each other's work.

The fundamental particle they saw was the Anu in negative or positive form.

disappears, *negative* or *female*. All Anu, so far observed are from one or other of these two forms. Fig. 3.




FIG. 3. THE ANU

FIG. 3. THE ANU

In 1997 Howard Johnson claimed discovery of the double vortex.

When dealing with Double Vortices, different arrangements of magnets can be used to manipulate the form in which a Double Vortex shows up.

In a different experiment, in which layers of different kinds of magnets are used, the manipulation of the strengths of the different layers produced the formation of a vortex within a vortex.

Notice illustrations and descriptions:



The 3-D mapping showing the tracks of the particles in a particular "vortex in a vortex"

For me this is a huge validation of the Leadbeater work. This is not the only validation, electron microscopy has determined that the hydrogen atom is indeed two intersecting triangles as presented in Leadbeater.

Dell Coleman
June 2007